



CONSTRUCTION EQUIPMENT SALES & RENTALS



www.companywrench.com

TOLL FREE 1-866-262-4181



BRANCH LOCATIONS

COMPANY WRENCH HEADQUARTERS CARROLL, OHIO

4805 Scooby Lane, Carroll, Ohio 43112

Toll Free: 866-262-4181 Local: 740-654-5304 Fax: 740-687-9130

Cleveland, Ohio

525 Golden Oak Pkwy, Cleveland, Ohio 44146
Phone: 440-439-4567 Fax: 440-439-1789

Cincinnati, Ohio

3120 S Verity Pkwy, Middletown, Ohio 45044
Phone: 513-649-8105 Fax: 513-649-8107

Knoxville, Tennessee

6325 Central Avenue Pike, Knoxville, TN 37912
Phone: 865-766-2571 Fax: 865-766-2815

Columbia, South Carolina

141 Brickyard Road, Lexington, SC 29072
Phone: 803-520-0032 Fax: 803-520-7469

Lakeland, Florida

3729 N Frontage Road, Lakeland, FL 33810
Phone: 863-937-6829 Fax: 863-937-6859

Williamstown, New Jersey

2636 S Black Horse Pike, Williamstown, NJ 08094
Phone: 856-404-9618 Fax: 856-404-9682

Raleigh, North Carolina

125 Wilsons Mills Rd. Extension, Smithfield, NC 27577
Phone: 919-938-8145 Fax: 919-938-9129



CALL BEFORE YOU DIG!

Know What's Below!

Dial 811 from your mobile phone before you dig! Knowing where underground utility lines are buried before you dig will help protect you from injury and prevent damages to utilities, service disruptions, potential fines, and machine repair costs.

www.companywrench.com

QUALITY YOU CAN SEE, PERFORMANCE YOU CAN FEEL

ULTRA HIGH REACHES	4
LONG REACHES	4
VIBRATORY PILE DRIVER	4
SHORT RADIUS EXCAVATORS	5
STANDARD RADIUS EXCAVATORS	5
MINI EXCAVATORS	5
CRAWLER EXCAVATORS	5
VERTICAL LIFT SKID LOADERS	6
SENTRY TIRES	6
ARTICULATION LOADERS	6
RADIAL LIFT SKID LOADERS	7
TRACK LOADERS	7
SKID LOADER ATTACHMENTS	7
WHEEL LOADER ATTACHMENTS	7
COMPACT EXCAVATORS	8
COMPACT ATTACHMENTS	8
TELEHANDLERS	9
MATERIAL HANDLERS	10
CRAWLER MATERIAL HANDLERS	10
MAGNETS	10
ORANGE PEEL GRAPPLES	10
CLAMBSHELL BUCKETS	10
HYDRAULIC HAMMERS	11
LAY-MOR SWEEPERS	12
PLATE COMPACTORS	12
CONCRETE PULVERIZERS	12
IMPACT CRUSHERS	13
SCREENING PLANTS	13
MOBILE SHEARS	14
MSD SHEARS	14
BLS SHEARS	14
PROCESSORS	15
MOBILE DEMOLITION PROCESSORS	15
UNIVERSAL PROCESSORS	15
GRAPPLES	17
HDR GRAPPLE	17
ROTATING GRAPPLES	17
HAWC/DUST DESTROYER	18
MINI HAWC	18
DUST FIGHTER	18
MOBILE DUST SUPPRESSION OPTIONS	18
WATER TRUCKS	18
COMPACT MULCHING TRACTOR	19
COMPACT EXCAVATOR MULCHER	19
SEVERE DUTY EXCAVATOR MULCHER	19

TOLL FREE 1-866-262-4181



THE CUTTING EDGE OF CUSTOMER SERVICE

ULTRA HIGH REACHES

KOBELCO

C.W. Machine
WORX
A fully owned subsidiary of Company Wrench, LTD

KOCUREK
EXCAVATORS LTD

MODEL	SK260LC-9	SK350LC-9	SK350LC-9	SK500LC-9	SK850LC-9
OPERATING WEIGHT	62,000 LBS	87,000 LBS	98,000 LBS (UHR)	128,000 LBS (UHR)	133,000 LBS (UHR)
			85,000 LBS (STD)	115,000 LBS (STD)	135,000 LBS (STD)
MAX HEIGHT	50 FT	60 FT	75 FT (UHR)	86 FT (UHR)	92 FT (UHR)
			46 FT (STD)	48 FT (STD)	62 FT (STD)
TOOL CAPACITY	6,000 LBS	2 PIECE	6,500 LBS (UHR)	6,500 LBS (UHR)	5,000 LBS (UHR)
			8,500 LBS (STD)	10,500 LBS (STD)	8,800 LBS (STD)
BUILD	5,000 LBS	2 PIECE	3 PIECE (UHR)	3 PIECE (UHR)	3 PIECE (UHR)
			2 PIECE (STD)	2 PIECE (STD)	2 PIECE (STD)



LONG REACHES

KOBELCO

C.W. Machine
WORX
A fully owned subsidiary of Company Wrench, LTD

KOCUREK
EXCAVATORS LTD

MODEL	SK210LC-9	SK260LC-9	SK350LC	SK500LC-9	SK850LC-9
OPERATING WEIGHT	52,000 LBS	60,400 LBS	91,500 LBS	120,400 LBS	183,000 LBS
FRONT	50 FT	60 FT	72 FT	80 FT	85 FT



VIBRATORY PILE DRIVER

MODEL	DRIVING FORCE	FREQUENCY	AMPLITUDE	CLAMPING FORCE
V-2ESC	25 TONS	1,800 CPM	.75"	16 TONS
V-5ESC	53 TONS	1,700 CPM	1"	62 TONS



**QUALITY YOU CAN SEE,
PERFORMANCE YOU CAN FEEL**

SHORT RADIUS EXCAVATORS



KOBELCO

MODEL	SK140SR	ED160 BLADERUNNER	SK230SR	SK260SR
WEIGHT CLASS	33,100 LBS	35,200 LBS	55,100 LBS	59,300 LBS

STANDARD RADIUS EXCAVATORS



MODEL	SK210LC	SK260LC	SK350LC	SK500LC	SK850LC
WEIGHT CLASS	48,500 LBS	56,890 LBS	81,800 LBS	111,800 LBS	181,440 LBS

MINI EXCAVATORS



MODEL	SK27SR-5	SK35SR-6E	SK55SRX-6	SK75SR-3E	SK85CS-3E
WEIGHT	*5,560 LBS	*7,890 LBS	11,050 LBS	17,100 LBS	18,700 LBS
	5,870 LBS				

CRAWLER EXCAVATORS



SANY
AMERICA INC.

MODEL	SY135C	SY215LC	SY235LC	SY335LC
WEIGHT CLASS	30,400 LBS	51,200 LBS	55,590 LBS	79,860 LBS

TOLL FREE 1-866-262-4181



THE CUTTING EDGE OF CUSTOMER SERVICE

VERTICAL LIFT SKID LOADERS

GEHL

MODEL	V270	V330	V400
WEIGHT	8,150 LBS	9,090 LBS	11,000 LBS
LIFT HEIGHT TO HINGE	130.3"	131.2"	143.6"

SENTRY TIRES



ARTICULATING LOADERS

MODEL	AL-340	AL-540
WEIGHT	5,450 LBS	7,290 LBS



EVERYTHING YOU NEED FOR EXCAVATION

RADIAL LIFT SKID LOADERS

GEHL®

MODEL	R190	R220 (5640E)	R260 (6640E)
WEIGHT	6,880 LBS	7,980 LBS	8,200 LBS
OPERATING CAPACITY	1,900 LBS	2,200 LBS	2,600 LBS
LIFT HEIGHT TO HINGE	120.5"	123"	123"



TRACK LOADERS

MODEL	RT175	RT210	RT250
WEIGHT	8,605 LBS	9,890 LBS	11,595 LBS
OPERATING CAPACITY	1,750 LBS - 2,500 LBS	2,100 LBS - 3,000 LBS	2,500 LBS - 3,000 LBS
LIFT HEIGHT TO HINGE	127.5"	128"	128"

SKID LOADER ATTACHMENTS

42" & 48" FORKS	HAMMERS MB05/MB556/MBX15	MSD7R SHEAR	SCRAP BUCKET	CYCLONE CONCRETE BREAKER
 ceattachmentsinc.	 STANLEY	 LaBounty	 ceattachmentsinc.	 STANLEY

WHEEL LOADER ATTACHMENTS



LOG FORK	MILL YARD FORK	GRAPPLE BUCKET	CAR BODY FORKS
			

TOLL FREE 1-866-262-4181



THE CUTTING EDGE OF CUSTOMER SERVICE

COMPACT EXCAVATORS

GEHL

MODEL	Z25	Z35 GEN:2	Z45 GEN:2
WEIGHT	6,217 LBS	8,214 LBS	10,814 LBS

*CANOPY

COMPACT ATTACHMENTS

MBX15 HAMMER	GRAPPLE 3/2 TINES	MSD7R SHEAR
 STANLEY	 LaBounty	 LaBounty



MACHINES THAT GET THE JOB DONE

TELEHANDLERS

GEHL®

MODEL	WEIGHT	LIFT CAPACITY	MAX LIFT HEIGHT
RS5-19	10,000 LBS	5,500 LBS	19' 11"
RS6-34	15,100 LBS	6,000 LBS	34' 3"
RS6-42	22,000 LBS	6,600 LBS	42' 0"
RS8-42	23,350 LBS	8,000 LBS	42' 0"
RS8-44	23,500 LBS	8,000 LBS	44' 0"
RS10-44	25,500 LBS	10,000 LBS	44' 0"
RS10-55	27,800 LBS	10,000 LBS	55' 1"
RS12-42	25,200 LBS	12,000 LBS	42' 0"
DL-7 DYNALIFT	23,250 LBS	7,000 LBS	44' 4"
DL-9 DYNALIFT	24,650 LBS	9,000 LBS	44' 4"
DL-11 DYNALIFT	25,400 LBS	11,000 LBS	44' 4"
DL-12 DYNALIFT	25,300 LBS	12,000 LBS	40' 4"



TOLL FREE 1-866-262-4181



THE CUTTING EDGE OF CUSTOMER SERVICE

MATERIAL HANDLERS



TEREX® | FUCHS

MODEL	WEIGHT CLASS	FRONT	GENSET	ENGINE HORSEPOWER
MHL320D	44,000 LBS	31 FT	11 KW	114 HP
MHL331D	51,808 LBS	40 FT	13 KW	153 HP
MHL335D	55,110 LBS	40 FT	13 KW	153 HP
MHL340E	63,934 LBS	45 FT	17 KW	173 HP
MHL350F	78,264 LBS	52.5 FT	20 KW	198 HP
MHL360F	101,413 LBS	59 FT	30 KW	249 HP

CRAWLER MATERIAL HANDLERS



MODEL	WEIGHT CLASS	FRONT	GENSET	ENGINE HORSEPOWER
RHL 350E	83,775 LBS	52.5 FT	20 KW	214 HP
RHL 360E	110,230 LBS	59 FT	30 KW	249 HP

MAGNETS



WINKLE

MODEL	MAGNET WEIGHT	COLD AMPS	GENERATOR SIZE
36"-40"	2,300 LBS	38	9 KW
48"	3,300 LBS	48	15 KW
58"	4,700 LBS	69	15 KW
63"-68"	6,825 LBS	94 FT	20KW

ORANGE PEEL GRAPPLES



TEREX® | FUCHS



1/2 YD	3/4 YD	7/8 YD	1 YD	1-1/4 YD
--------	--------	--------	------	----------

CLAMBSHELL BUCKETS



2 YD, 2.5 YD, 3.0 YD, 4.0 YD

HC5-200	HC5-250-P360	HC5-300	HC6-400
---------	--------------	---------	---------

YOUR ATTACHMENT SPECIALIST

HYDRAULIC HAMMERS



STANLEY®

MODEL	TOOL WEIGHT	BREAKING FORCE	BLOWS PER MINUTE	CARRIER REQ. WEIGHT CLASS
MB556 (SKID STEERS)	752 LBS	750 FT/LBS	590-1100	4,500-10,000 LBS
MB556 (COMPACT EXCAVATOR)	752 LBS	750 FT/LBS	590-1100	7,000-16,000 LBS
MBX15 (SY75, SK75, SK85)	1,168 LBS	1,500 FT/LBS	400-800	14,000-26,000 LBS
MBX138 (SY135C, SK140SR, ED160)	1,925 LBS	2,000 FT/LBS	450-630	19,800-35,200 LBS
MBX208 (SY135C, SK140SR, ED160, LG915D)	2,640 LBS	3,000 FT/LBS	400-530	26,400-44,000 LBS
MBX258 (SY235C, SY215C, SK140SR, ED160, SK210, SK230)	3,300 LBS	4,000 FT/LBS	350-600	35,200-55,000 LBS
MBX308 (SY215C, SY235C, SK260, SK210, LG922D, LG925D)	3,800 LBS	5,000 FT/LBS	400-490	39,600-65,000 LBS
MBX408 (SK260 & SK350)	5,450 LBS	7,500 FT/LBS	300-600	58,000-88,000 LBS
MBX458 (SK350)	5,460 LBS	8,600 FT/LBS	300-550	60,000-99,000 LBS
MBX608 (SK500 AND SK350)	7,560 LBS	11,000 FT/LBS	200-350	78,000-130,000 LBS

HYDRAULIC HAMMERS



INDECO
YOUR PARTNERS IN DEMOLITION

MODEL	TOOL WEIGHT	BREAKING FORCE	BLOWS PER MINUTE	CARRIER REQ. WEIGHT CLASS
HP13001 (SK350*, SK500, PC650)	11,150 LBS	16000 FT/LBS	240-550	100,000-260,000 LBS
HP16000 (SK500*, SK850, PC650, PC800)	17,200 LBS	13,000 FT/LBS	270-540	75,000-125,000 LBS

*SECOND MEMBER HAMMER

TOLL FREE 1-866-262-4181



THE CUTTING EDGE OF CUSTOMER SERVICE

LAY-MOR SWEEPERS



LAYMOR

MODEL	ENGINE	BROOM ROTATION	OVERALL LENGTH	WHEEL BASE	BRUSH MATERIAL
SWEEPMASTER 400	KUBOTA 3600 HP TIER III	40 PSI-150 PSI	15' 10"	11' 5.25"	1/2 POLY 1/2 STEEL

PLATE COMPACTORS



STANLEY

MODEL	WEIGHT	CENTERFUGAL FORCE	COMPACTION AREA	EXCAVATOR WEIGHT CLASS
HSX3	370 LBS	3,400 LBS	18.8" X 20" BASEPLATE	5,000 - 13,000 LBS
HSX6	850 LBS	6,400 LBS	23.5" X 26" BASEPLATE	9,000 - 30,000 LBS
HSX11	1,425 LBS	11,350 LBS	27" X 30" BASEPLATE	16,000 - 55,000 LBS
HSX22	2,200 LBS	22,000 LBS	32" X 42" BASEPLATE	54,000 - 142,000 LBS

CONCRETE PULVERIZERS



MODEL	WEIGHT CLASS	ATTACHMENT WEIGHT	JAW OPENING (TIP TO TIP)	JAW DEPTH TIP TO THROAT
CP60	46-65,000 LBS	3,000 LBS	36"	29"
CP80	65-88,000 LBS	4,475 LBS	42"	32.5"
CP100	88-111,000 LBS	6,150 LBS	48"	33"
CP100 MAG COMBO	88-111,000 LBS (STD)	6,569 LBS	48"	33"
	56-69,000 LBS (HYRID)			

AMERICAN MADE CRUSHING & SCREENING

IMPACT CRUSHERS



MODEL	4043T IMPACT CRUSHER
WEIGHT	79,500 LBS
FEEDER	40" X 13' VIBRATORY GRIZZLY VARIABLE SPEED 600-900 RPM



SCREENING PLANTS

MODEL	107D SCALPER	512T SPYDER SCREEN	516T SPYDER SCREEN	612T TROMMEL
WEIGHT	24,000 LBS	52,000 LBS	59,000 LBS	28,000 LBS
FEEDER	10'-11'	8' 10" - 10' 9"	8' 3" - 10' 2"	9' 2" - 10' 4"



TOLL FREE 1-866-262-4181



THE CUTTING EDGE OF CUSTOMER SERVICE

MOBILE SHEARS



FITMENT CHART

WEIGHT CLASSES

MODELS	180,000 LBS SK850LC/ PC800	110,000 LBS SK500LC	80,000 LBS SK350LC	50-60,000 LBS SK260LC/ SK230SRLC	50,000 LBS SK210LC	31-36,000 LBS SK140SRLC	5,500-18,700 LBS MINI/SKID STEER
	MSD3000R MSD4000R MSD7500R	MSD2000R MSD3000R MSD3000R MSD4000R	BLS80/3000 MSD1500R MSD2500R	BLS40/2000 MSD1000R MSD2000R MSD2250R	BLS40/2000 MSD1000R MSD1500R	MSD800R MSD1000R	MSD7R (SK85) MSD7R MSD800R



SECOND MEMBER



THIRD MEMBER

MSD SHEARS



MODEL	JAW OPENING	JAW DEPTH	MODEL	JAW OPENING	JAW DEPTH
MSD7R	10"	11"	MSD2250R	30"	30"
MSD800R	15"	17"	MSD2500R	32"	34"
MSD1000R	19"	20"	MSD3000R	35"	38"
MSD1500R	22"	25"	MSD4000R	40"	44"
MSD2000R	28"	29"	MSD7500R	43"	45"

BLS SHEARS



MODEL	JAW OPENING	JAW DEPTH
BLS 40/200	15-20"	19.5"
BLS 80/300	17-22"	23"



LARGEST LABOUNTY ATTACHMENT INVENTORY

PROCESSORS



STANLEY

LaBounty

FITMENT CHART

MODELS	WEIGHT CLASSES					
	180,000 LBS PC650/PC800/ PC850LC	110,000 LBS SK500LC	80,000 LBS SK350LC	60,000 LBS SK260LC/ SK230SRLC	50,000 LBS SK210LC	31-36,000 LBS SK140SRLC
	UP75	MDP35R MDP50R UP45	MDP27R MDP35R UP30 UP75	MDP20R MDP27R UP25 UP45	MDP20R UP20 UP30	UP20



SECOND MEMBER



THIRD MEMBER

MOBILE DEMOLITION

STANLEY

LaBounty

UNIVERSAL

STANLEY

LaBounty

MODEL		JAW OPENING	JAW DEPTH
MDP20R	CC JAW	25"	27"
	CP JAW	25"	27"
MDP27R	CC JAW	32"	31"
	CP JAW	28"	30"
MDP35R	CC JAW	39"	36"
	CP JAW	39"	36"
MDP50R	CC JAW	50"	45"
	CP JAW	50"	45"

MODEL		JAW OPENING	JAW DEPTH
UP20sv	SHEAR	18"	15"
	CC JAW	29"	23"
	CP JAW	24"	20"
UP25sv	SHEAR	21"	21"
	CC JAW	33"	25"
	CP JAW	28"	23"
UP30sv	SHEAR	25"	25"
	CC JAW	41"	30"
	CP JAW	32"	26"
UP45sv	SHEAR	26"	28"
	CC JAW	45"	34"
	CP JAW	36"	27"
UP75sv	SHEAR	33"	34"
	CC JAW	49"	36"
	CP JAW	40"	30"



TOLL FREE 1-866-262-4181



THE CUTTING EDGE OF CUSTOMER SERVICE



STANLEY



ATTACHMENTS FOR EVERY APPLICATION

GRAPPLE



FITMENT CHART

WEIGHT CLASSES

MODELS	180,000 LBS PC650/PC850/ SK850LC	110,000 LBS SK500LC	80,000 LBS SK350LC	60,000 LBS SK260SRLC/ SK230SRLC	50,000 LBS SK210LC	31-36,000 LBS SK140SRLC	5,500-18,700 LBS MINI/SKID STEER
	HDR170	HDR100 SG45T	HDR70 RDG60 SG30T	HDR50	HDR40 SG20T	HDR30	WERK BRAU SOLID TINE

HDR GRAPPLES



MODEL	NUMBER OF TINES	TOOL WEIGHT	JAW OPENING (TIP TO TIP)	UPPER JAW WIDTH	LOWER JAW WIDTH
HDR30	2 UPPER 3 LOWER	1,540 LBS	88"	20.5"	32.5"
HDR40	2 UPPER 3 LOWER	2,650 LBS	95"	29.8"	43.8"
HDR50	2 UPPER 3 LOWER	3,500 LBS	113"	30"	44"
HDR70	2 UPPER 3 LOWER	5,700 LBS	116"	32"	48"
HDR100	2 UPPER 3 LOWER	7,700 LBS	142"	34"	52"
HDR170	2 UPPER 3 LOWER	8,700 LBS	150"	39"	58"



SOLID TINE
GRAPPLE

JAW OPENING: 53"
WIDTH: 36"

ROTATING GRAPPLES

MODEL	CAPACITY	GRAPPLE OPENING
RDG60	1.75 YD ³	92"
SG20T	1/3 YD ³	65"
SG30T	1/2 YD ³	91"
SG45T	3/4 YD ³	103"

TOLL FREE 1-866-262-4181



THE CUTTING EDGE OF CUSTOMER SERVICE



HAWC



MINI HAWC



HAWC/DUST DESTROYER

MODEL	WEIGHT	WATER THROW	WATER PRESSURE	WATER FLOW	POWERED OSCILLATION	ENGINE/HORSEPOWER
HAWC	5,900 LBS	300+ FT	40-150 PSI	12-80 GPM	360°	YANMAR/80 HP
MINI HAWC	6,700 LBS	250+ FT	40-150 PSI	10-68 GPM	360°	CUMMINS/65 HP

DUST FIGHTER

C.W. Machine
WORX
A fully-owned subsidiary of Company Wrench, LTD

MODEL	WEIGHT	COVERAGE	AVG WATER PRESSURE	WATER FLOW	POWERED OSCILLATION	ELECTRIC FAN HORSEPOWER
DF7500	1,934 LBS	13,500-49,000 FT ²	145 PSI	9 GPM	325°	15 HP
DF15000	2,073 LBS	21,000-76,000 FT ²	145 PSI	11 GPM	325°	25 HP
DF20000	2,254 LBS	20,000-110,000 FT ²	145 PSI	14 GPM	325°	29.5 HP

MOBILE DUST SUPPRESSION OPTIONS			
GENERATORS	20KW (DF7500)	36 KW (DF15000)	58 KW (DF20000)
TRAILERS	DUAL AXEL TRAILERS		
WATER TANK	850 GALLON WATER TANK (CUSTOM DESIGNS & SIZES ON REQUEST)		
REMOTE CONTROL	1,000 FT LINE OF SIGHT RADIO REMOTE CONTROL		

WATER TRUCKS
2000-25000 GALLONS
4000-4500 GALLONS





THE INDUSTRY LEADER IN FORESTRY MULCHING

COMPACT MULCHING TRACTOR

MODEL	HORSEPOWER	WEIGHT	LENGTH	HEIGHT	WIDTH
FTX128 W/BH85 MULCHER	128	17,350 LBS	206"	96"	85"

COMPACT EXCAVATOR MULCHER

MODEL	OVERALL WIDTH	WORKING WIDTH	APPROX WEIGHT	APPROX FLOW RANGE
CEM36	52"	36"	1,300 LBS	17-30 GPM

SEVERE DUTY EXCAVATOR MULCHER

MODEL	OVERALL WIDTH	WORKING WIDTH	APPROX WEIGHT	APPROX FLOW RANGE
BH40EXC	51"	36"	3,000 LBS	30-105 GPM
BH80EXC	71"	56"	4,000 LBS	20-45 GPM



TOLL FREE 1-866-262-4181



NATIONAL HEADQUARTERS
4805 SCOOPY LANE, CARROLL, OHIO 43112
TOLL FREE: 866-266-4181
FAX: 865-766-2815

THE COMPANY WRENCH STORY

Company wrench was founded in 1999 when Brad Hutchinson (owner) started a truck, trailer and equipment shop with a 24-hour wrecking and recovery service. The unique name, Company Wrench, found its origins during this phase and was born from conversations with stranded truck operators asking for mechanical assistance: "Can you send over your company wrench?" (slang for in-house mechanic).

In 2001, John White brought a heavy mechanical aspect to the business. Company Wrench soon became a Stanley Hammer, LaBounty Attachment, and Beka-Max Dealer in 2002. In 2003, Company Wrench became the 2nd largest LaBounty Dealer and broke a 31 year record the following year to become the #1 LaBounty dealer. The company also took on Gehl Compact Equipment.

2005 is when the company really began to take off and hasn't slowed down since. Company Wrench's equipment offering steadily grew and branches began to open across the country. They have been awarded the #1 LaBounty Global Dealer since 2003 and #1 Terex Fuchs Dealer since 2006 and they now offer equipment and attachments from Kobelco, Gehl, Terex Fuchs, Fecon, Sany, LaBounty, Screen Machine, Built-rite, Stanley, Indeco, Winkle, Anvil, Rotobec, CE Attachments, and Sentry Tire.

In 2010, C.W. MachineWorx, the manufacturing division of Company Wrench was founded and provided dust suppression solutions, equipment hybridizations, and customizations. Currently C.W. MachineWorx has been awarded ten patents and counting for original machine designs and processes. In 2014, Magnum Australia helped C.W. MachineWorx's H.A.W.C. Dust Suppression Units begin international distribution in Australia while Kocurek Excavators LTD of Ipswich, England named Company Wrench and C.W. MachineWorx as the sole distributor of high reach and long reach fronts in North America.

Company Wrench's success was built and is maintained by providing each of our customers our "Cutting Edge Customer Service". Although the days of 24-hour wrecking are far from view, the 24-hour customer service has never left our minds. Company Wrench is more than a Company name, its an attitude.

KOBELCO

 **TEREX** | FUCHS



LaBounty

**C.W. Machine
WORX**

GEHL

 **THE SCREEN MACHINE**

FECON



**SANY
AMERICA INC.**



STANLEY

**KOCUREK
EXCAVATORS LTD**

WINKLE

INDECO
YOUR PARTNERS IN DEMOLITION

**ANVIL
ATTACHMENTS**

www.companywrench.com

TOLL FREE 1-866-262-4181